




Oxivir® Tb



Hospital Grade One-Step Cleaner Disinfectant

	<ol style="list-style-type: none"> 1. Spray or squirt Oxivir® Tb undiluted on to surfaces 2. Alternatively, spray onto microfibre cloth or wipe, and wipe surfaces down <p>Oxivir® Tb will not damage fabric or irritate skin</p> <p>Oxivir® Tb breaks down to oxygen & water</p>	<p><u>TGA REGISTERED – AUST R 165058</u></p> <p>Tested & proven effective against a wide spectrum of pathogens:</p> <p>Viruses:</p> <ul style="list-style-type: none"> • H1N1 Influenza A (Swine Flu) • Hepatitis B • Hepatitis C • Herpes simplex virus type 1 & type 2 • HIV-1 (AIDS virus) • Human Coronavirus • Influenza A • Norovirus • Rhinovirus • Rotavirus • Polio virus • Avian Influenza A • Feline calicivirus <p>Bacteria:</p> <ul style="list-style-type: none"> • Acinetobacter baumannii • Escherichia coli • Escherichia coli O157:H7 • Klebsiella pneumoniae • Proteus vulgaris • Pseudomonas aeruginosa • Salmonella enterica • Shigella Dysenteriae • Staphylococcus aureus <p>Antibiotic- Resistant Bacteria:</p> <ul style="list-style-type: none"> • Enterococcus faecalis (VRE) • Staphylococcus aureus (MRSA) <p>Fungi:</p> <ul style="list-style-type: none"> • Trichophyton mentagrophytes <p>Tb:</p> <ul style="list-style-type: none"> • Mycobacterium bovis
	<ol style="list-style-type: none"> 1. All surfaces must remain visibly wet for 1 minute to have virucidal effect. Allow 10 minutes for Bacteria, Tb and Fungi. 2. Allow to air dry 3. If concerned about streaking, wipe with a microfibre cloth 	
	<ol style="list-style-type: none"> 1. If disinfecting food contact surfaces, rinse with water 2. If Clostridium Difficile outbreak is <i>identified</i>, use microfibre . Or use Sporicide Plus. 	
<p><u>SUPPLIES/TOOLS:</u></p> <ul style="list-style-type: none"> • Ultra-microfibre cloths • Disposable dry towel • Gloves should be considered, as prolonged hand contact will dry skin 	<p><u>SAFETY:</u></p> <p>No PPE Gear Needed.</p> <ul style="list-style-type: none"> • Oxivir Tb has a low concentration of active (AHP) • There is no normal need to use Personal Protective Equipment (e.g. safety eyewear) 	<p><u>CONTROL POINTS:</u></p> <ul style="list-style-type: none"> • Do not mix with other detergents or other chemicals • Not for use on glasses, dishes and utensils or therapeutic devices. • Not recommended for use on brass, copper or marble • Safe on carpets, fabrics & clothes • Safe on stainless steel • Biodegrades to OXYGEN and WATER